

10/667, 083

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTAYLC1626

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America  
NEWS 2 "Ask CAS" for self-help around the clock  
NEWS 3 DEC 05 CASREACT(R) - Over 10 million reactions available  
NEWS 4 DEC 14 2006 MeSH terms loaded in MEDLINE/LMEDLINE  
NEWS 5 DEC 14 2006 MeSH terms loaded for MEDLINE file segment of TOXCENTER  
NEWS 6 DEC 14 CA/CAPLUS to be enhanced with updated IPC codes  
NEWS 7 DEC 21 IPC search and display fields enhanced in CA/CAPLUS with the  
IPC reform  
NEWS 8 DEC 23 New IPC8 SEARCH, DISPLAY, and SELECT fields in USPATFULL/  
USPAT2  
NEWS 9 JAN 13 IPC 8 searching in IFIPAT, IFIUDB, and IFICDB  
NEWS 10 JAN 13 New IPC 8 SEARCH, DISPLAY, and SELECT enhancements added to  
INPADOC  
NEWS 11 JAN 17 Pre-1988 INPI data added to MARPAT  
NEWS 12 JAN 17 IPC 8 in the WPI family of databases including WPIFV  
  
NEWS EXPRESS JANUARY 03 CURRENT VERSION FOR WINDOWS IS V8.01,  
CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),  
AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005.  
V8.0 USERS CAN OBTAIN THE UPGRADE TO V8.01 AT  
<http://download.cas.org/express/v8.0-Discover/>  
  
NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS INTER General Internet Information  
NEWS LOGIN Welcome Banner and News Items  
NEWS PHONE Direct Dial and Telecommunication Network Access to STN  
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that  
specific topic.

All use of STN is subject to the provisions of the STN Customer  
agreement. Please note that this agreement limits use to scientific  
research. Use for software development or design or implementation  
of commercial gateways or other similar uses is prohibited and may  
result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 08:16:55 ON 24 JAN 2006



=> file registry  
COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.21	0.21

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 08:17:06 ON 24 JAN 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.



chain nodes :

2 3 4 5 6 7 8 9 10 13 14 17 18 19 20 21 22 23 24 25 26  
29 30

chain bonds :

2-13 2-30 2-17 3-5 3-4 3-30 5-6 6-7 7-8 8-9 8-10 13-14 17-29  
17-18 19-21 19-20 19-29 21-22 22-23 23-24 24-25 24-26

exact/norm bonds :

2-30 2-17 3-5 3-4 3-30 7-8 8-9 8-10 17-29 17-18 19-21 19-20  
19-29 23-24 24-25 24-26

exact bonds :

2-13 5-6 6-7 13-14 21-22 22-23

G1:O,S

Match level :

2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS 9:CLASS  
10:CLASS 13:CLASS 14:CLASS 17:CLASS 18:CLASS 19:CLASS 20:CLASS  
21:CLASS 22:CLASS 23:CLASS 24:CLASS 25:CLASS 26:CLASS 29:Atom  
30:Atom

Generic attributes :

29:  
Saturation : Unsaturated  
30:  
Saturation : Unsaturated

COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 23 JAN 2006 HIGHEST RN 872490-64-7  
DICTIONARY FILE UPDATES: 23 JAN 2006 HIGHEST RN 872490-64-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

```
*****
*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*
*****
```


Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10667085\10667085a.str



chain nodes :  
2 3 4 5 6 7 8 9 10 13 14 17 18 19 20 21 22 23 24 25 26 29 30  
chain bonds :  
2-13 2-30 2-17 3-5 3-4 3-30 5-6 6-7 7-8 8-9 8-10 13-14 17-29 17-18  
19-21 19-20 19-29 21-22 22-23 23-24 24-25 24-26  
exact/norm bonds :  
2-30 2-17 3-5 3-4 3-30 7-8 8-9 8-10 17-29 17-18 19-21 19-20 19-29  
23-24 24-25 24-26  
exact bonds :  
2-13 5-6 6-7 13-14 21-22 22-23

G1:O,S

Match level :  
2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS 9:CLASS 10:CLASS  
13:CLASS 14:CLASS 17:CLASS 18:CLASS 19:CLASS 20:CLASS 21:CLASS 22:CLASS  
23:CLASS 24:CLASS 25:CLASS 26:CLASS 29:Atom 30:Atom

Generic attributes :  
29:  
Saturation : Unsaturated  
30:  
Saturation : Unsaturated

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 STR

\*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\*

Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 08:17:39 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 8215 TO ITERATE

24.3% PROCESSED 2000 ITERATIONS 1 ANSWERS  
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)  
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*  
PROJECTED ITERATIONS: 158868 TO 169732  
PROJECTED ANSWERS: 1 TO 203

L2 1 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 08:17:59 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 163222 TO ITERATE

93.9% PROCESSED 153259 ITERATIONS 55 ANSWERS  
100.0% PROCESSED 163222 ITERATIONS 55 ANSWERS  
SEARCH TIME: 00.00.29

L3 55 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	167.82	168.03

FILE 'CAPLUS' ENTERED AT 08:18:41 ON 24 JAN 2006  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is

strictly prohibited.

FILE COVERS 1907 - 24 Jan 2006 VOL 144 ISS 5  
FILE LAST UPDATED: 23 Jan 2006 (20060123/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.  
They are available for your review at:


<http://www.cas.org/infopolicy.html>

=> s 13

L4 1 L3



=> d ibib abs hitstr tot

OTHER SOURCE(S): MARPAT 140:303529  
GI



AS Title compds. Y1X1C(=W)NRK2Y2 [wherein X1, X2 = independently (un)substituted (hetero)arylene, such as indole, benzofuran, benzo[b]thiophene, benzimidazole and pyrrole, X1 and X2 are not both pyrrole, but at least one indole; with proviso: Y1, Y2 = independently (un)substituted guanidinoalkylamido, guanidinoalkylcarbamoyl, carbamidoalkylcarbamoyl, etc.; R = H or alkyl; W = O or S; and pharmaceutically acceptable acid addition salts thereof] were prepared as



L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS ON STN (Continued)  
RN 676523-43-6 CAPLUS  
CN 1H-Indole-2,5-dicarboxamide,  
N2-{5-[(aminiminomethyl)amino]pentyl}-N5-[2-  
[[[5-[(aminiminomethyl)amino]pentyl]amino]carbonyl]-1H-indol-5-yl]-  
(9CI)  
(CA INDEX NAME)



```

RN      676523-52-7  CAPLUS
CN      1H-Indole-2,5-dicarboxamide, N2-[2-({aminoiminomethyl}amino)ethyl]-N5-[5-
[[[2-({aminoiminomethyl}amino)ethyl]amino]carbonyl]-1-(2-methylpropyl)-1H-
pyrrol-3-yl)- (9CI) (CA INDEX NAME)

```





RN 676523-62-9 CAPLUS  
CN 1H-Indole-2,5-dicarboxamide, N5-[2-[(aminoiminomethyl)amino]ethyl]-N2-[2-  
[[2-[(aminoiminomethyl)amino]ethyl]amino]carbonyl]-1H-indol-6-yl]- (9CI)  
(CA INDEX NAME)



L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS ON STM (Continued)  
antibacterial or antifungal agents. For example, amidation of Et  
5-aminoindole-2-carboxylate with 2-Et 5-(pentafluorophenyl)  
1H-2,5-dicarbonylate, followed by amidation again with  
1,2-ethylenediamine  
(331) and substitution with 1H-pyrazole-1-carboxamide hydrochloride  
(251), gave 1=2HCl. I showed antibacterial activity against different  
strains of bacterial, including *Moraxella catarrhalis*, with the MIC  
value

less than or equal to 45.4  $\mu\text{M}$  showed antifungal activity against *Aspergillus* species, etc. with the MIC value less than or equal to 50  $\mu\text{M}$ . Thus, the title compds. and their pharmaceutical compns. are useful as antibacterial or antifungal agents.

IT	676523-33-4P	676523-43-6P	676523-52-7P	676523-62-9P	676523-63-0P	676523-64-1P	676523-67-4P	676523-68-5P	676523-69-6P	676523-70-8P	676523-71-0P	676523-73-2P	676523-74-3P	676523-75-4P	676523-77-6P	676523-78-7P	676523-79-8P	676523-82-3P	676523-83-4P	676523-84-5P	676523-85-6P	676523-87-8P	676523-88-9P	676523-89-0P	676523-90-3P	676523-91-4P	676523-92-5P	676523-95-8P	676523-96-9P	676523-97-0P	676524-04-2P	676524-05-3P	676524-50-8P	676524-52-0P	676524-53-1P	676524-54-2P	676524-55-3P	676524-56-4P	676524-58-6P	676524-59-7P	676524-65-5P	676524-82-6P
	RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses) [preparation of indoledicarboxylate (indolyl)amide (guanidinoalkyl)amides as antibacterial or antifungal agents]																																									
RN	676523-33-4 CAPLUS																																									
CN	1H-indole-2,5-dicarboxamide, N2-[2-[(aminomino)methyl]amino]ethyl]-N5-[2- [(1-[(aminomino)methyl]amino)ethyl]amino]carbonyl]-1H-indol-3-yl]-, dihydrochloride (9CI)   ICA INDEX NAME																																									





L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 676523-63-0 CAPLUS  
CN 1H-Indole-2,5-dicarboxamide,  
N5-[2-[[imino(methylamino)methyl]amino]ethyl]-

N2-[2-[[[2-[[imino(methylamino)methyl]amino]ethyl]amino]carbonyl]-1H-indol-6-yl]- (9CI) (CA INDEX NAME)



```

RN      676523-64-1  CAPLUS
CN      1H-Indole-2,5-dicarboxamide,
N5-[2-[[bis(methylamino)methylene]amino]ethyl
      ]-N2-[2-[[2-[[bis(methylamino)methylene]amino]ethyl]amino]carbonyl]-1H-
      indol-6-yl)-, dihydrochloride (9CI) (CA INDEX NAME)

```



PAGE 1-A

Chemical structure of compound 1:  $\text{MeNH}-\text{C}(\text{NMe})=\text{N}-(\text{CH}_2)_3-\text{NH}-\text{C}(=\text{O})-\text{indole-3-yl}-\text{C}(=\text{O})-\text{NH}-\text{indole-3-yl}-\text{C}(=\text{O})-\text{NHMe}$

● HCl

$$\text{—CH}_2\text{—CH}_2\text{—N}=\overset{\text{NMe}}{\underset{|}{\text{C}}}\text{—NMe}$$

```

RN      676523-77-6  CAPLUS
CN      1H-Indole-2,5-dicarboxamide, N5-[2-((aminoiminomethyl)amino)ethyl]-N2-[2-
      {{{[3-(aminoiminomethyl)amino]propyl}amino]carbonyl}-1H-indol-6-yl]}-
(9CI)
      (CA INDEX NAME)

```

PAGE 1-A

Chemical structure of compound 1-A, showing a guanidine group (H<sub>2</sub>N-C(=NH)-NH-) linked to a 2,3-dihydro-1H-indole-1-carboxamide moiety, which is further linked to a 2,3-dihydro-1H-indole-1-carboxamide moiety.

$$-(\text{CH}_2)_3-\text{NH}-\overset{\text{NH}}{\underset{\parallel}{\text{C}}}-\text{NH}_2$$

RN 676523-78-7 CAPLUS  
CN 1H-Indole-2,5-dicarboxamide,  
N5-[2-[[[imino(methylamino)methyl]amino]ethyl]-  
N2-[2-[[[3-[[[imino(methylamino)methyl]amino]propyl]amino]carbonyl]-1H-  
indol-6-ynyl]-9CI) (CA INDEX NAME)


$$-(\text{CH}_2)_3-\text{NH}-\overset{\text{NH}}{\underset{\parallel}{\text{C}}}-\text{NH}_2$$

```

RN      676523-83-4  CAPIUS
CN      1H-Indole-2,5-dicarboxamide,
N5-[2-[[[imino(methylamino)methyl]amino]ethyl]-
N2-[2-[[[3-[[[imino(methylamino)methyl]amino]propyl]amino]carbonyl]-1H-
indol-5-yl]-9CI) (CA INDEX NAME)

```

PAGE 1-A



Chemical structure of compound 1:  $\text{MeNH}-\text{C}(=\text{NH})-\text{NH}-\text{CH}_2-\text{CH}_2-\text{NH}-\text{C}(=\text{O})-\text{[naphthalene-1,8-dicarboxamide]}-\text{C}(=\text{O})-\text{NH}-\text{[indole-2-carboxamide]}-\text{C}(=\text{O})-$

$$\text{—NH—(CH}_2\text{)}_3\text{—NH—}\overset{\text{NH}}{\underset{\text{||}}{\text{C}}}\text{—NMe}$$

```

RN      676523-84-5  CAPLUS
CN      1H-Indole-2,5-dicarboxamide,
N5-[2-[[bis(methylamino)methylene]amino]ethyl
      ]-N2-[2-[[[3-[[bis(methylamino)methylene]amino]propyl]amino]carbonyl]-1H-
      indol-5-yl]- (9CI) (CA INDEX NAME)

```

PAGE 1-A

Chemical structure of compound 1: CN(C)C(=N)NCCNC(=O)c1ccc2[nH]cnc2c1C(=O)Nc3ccc4[nH]cnc4c3

$$-\text{NH}-(\text{CH}_2)_3-\text{N}=\text{C}(\text{NHMe})_2$$

PAGE 1-A

$$-\text{NH}-(\text{CH}_2)_3-\text{NH}-\overset{\text{NH}}{\underset{\parallel}{\text{C}}}-\text{NHMe}$$

```

RN      676523-79-8  CAPLUS
CN      1H-Indole-2,5-dicarboxamide,
N5-[2-[[bis(methylamino)methylene]amino]ethyl
      ]-N2-[2-[[3-[[bis(methylamino)methylene]amino]propyl]amino]carbonyl]-1H-
      indol-6-yl)- (9CI) (CA INDEX NAME)

```

PAGE 1-A

$$\text{—NH—(CH}_2\text{)}_3\text{—N}=\overset{\text{NMe}}{\underset{|}{\text{C}}}\text{—NHMe}$$

```

RN      676523-82-3  CAPLUS
CN      1H-Indole-2,5-dicarboxamide, N5-[2-({(aminoiminomethyl)amino}ethyl)-N2-[2-
      [[3-({(aminoiminomethyl)amino}propyl)amino}carbonyl]-1H-indol-5-yl]-
      (9CI)
      (CA INDEX NAME)

```

PAGE 1-A

Chemical structure of the compound:  $\text{H}_2\text{N}-\text{C}(=\text{NH})-\text{NH}-\text{CH}_2-\text{CH}_2-\text{NH}-\text{C}(=\text{O})-\text{[naphthalene ring]}-\text{C}(=\text{O})-\text{NH}-\text{[indole ring]}-\text{C}(=\text{O})-\text{NH}_2$

04 AND#2R 1 OF 1 EUS COPYRIGHT 2000 ACS ON STN (continued)  
 RN 676523 85-6 CAPLUS  
 CN 1,4-Benzenedicarboxamide,  
 N-[2-[(aminoiminomethyl)amino]ethyl]-N'-[2-[[2-  
 [(aminoiminomethyl)amino]ethyl]amino]carbonyl]-1H-indol-5-yl]- (9CI) (CA  
 INDEX NAME

PAGE 1-1

$$\text{H}_2\text{N}-\overset{\text{NH}}{\underset{\text{||}}{\text{C}}}-\text{NH}-\text{CH}_2-\text{CH}_2-\text{NH}-\overset{\text{O}}{\underset{\text{||}}{\text{C}}}-\text{C}_6\text{H}_4-\overset{\text{O}}{\underset{\text{||}}{\text{C}}}-\text{NH}-\text{C}_{10}\text{H}_6-\overset{\text{O}}{\underset{\text{||}}{\text{C}}}-\text{NH}-\text{CH}_2-$$

$$-\text{CH}_2-\text{NH}-\overset{\text{NH}}{\underset{\parallel}{\text{C}}}-\text{NH}_2$$

RN 676523-87-8 CAPLUS  
CN 1H-Indole-2,5-dicarboxamide,  
N5-[3-{{(aminoiminomethyl)amino}propyl}-N2-[2-  
[[3-{{(aminoiminomethyl)amino}propyl}amino]carbonyl]-1H-indol-6-yl)]-  
(9CI)  
(CA INDEX NAME)

PAGE 1-


$$-(\text{CH}_2)_3-\text{NH}-\overset{\text{NH}}{\underset{||}{\text{C}}}-\text{NH}_2$$

```


RN      676523-88-9  CAPLUS
CN      1H-Indole-2,5-dicarboxamide,
N5-[3-[[[imino(methylamino)methyl]amino]propyl
]-N2-[2-[[[3-[[[imino(methylamino)methyl]amino]propyl]amino]carbonyl]-1H-
indol-6-yl]-9CI) (CA INDEX NAME)

```






PAGE 1-B




RN 676523-89-0 CAPLUS  
CN 1H-Indole-2,5-dicarboxamide,  
N5-[3-[(bis(methylamino)methylene)amino]propy


1]-N2-[2-[[[3-[[bis(methylamino)methylene]amino]propyl]amino]carbonyl]-1H-indol-6-yl)]- (9CI) (CA INDEX NAME)




PAGE 1-B



RN 676523-90-3 CAPLUS  
CN 1H-Indole-2,5-dicarboxamide,  
N5-[3-({(aminoiminomethyl)amino}propyl)-N2-[2-  
[3-({(aminoiminomethyl)amino}propyl)amino]carbonyl]-1H-indol-5-yl]-  
(9CI)  
(CA INDEX NAME)




PAGE 1-B




```

RN      676523-95-8  CAPLUS
CN      1H-Indole-2,5-dicarboxamide, N5-[2-{(aminoiminomethyl)amino}ethyl]-N2-[5-
[[2-{(aminoiminomethyl)amino}ethyl]amino]carbonyl]-1-(2-methylpropyl)-1H-
pyrrol-3-yl]- (9CI) (CA INDEX NAME)


```




**PAGE 1-B**



RN 676523-96-9 CAPLUS  
 CN 1H-Indole-2,5-dicarboxamide,  
 N5-[2-([imino(methylamino)methyl]amino)ethyl]-  
 N2-[5-([2-([imino(methylamino)methyl]amino)ethyl]amino)ethyl]propyl]-1H-pyrrol-3-yl)- (SCI) (CA INDEX NAME)




PAGE 1-B




```

RN      676523-91-4  CAPIUS
CN      1H-Indole-2, 5-dicarboxamide,
N5-[3-[[[imino(methylamino)methyl]amino]propyl
      ]-N2-[2-[[[3-[[[imino(methylamino)methyl]amino]propyl]amino]carbonyl]-1H-
      indol-5-yl]- (9CI)  (CA INDEX NAME)


```




PAGE 1-B




RN 676523-92-5 CAPLUS  
CN 1H-Indole-2,5-dicarboxamide,  
N5-[3-[[bis(methylamino)methylene]amino]propyl  
1)-N2-[2-[[[3-[[bis(methylamino)methylene]amino]propyl]amino]carbonyl]-1H-  
indol-5-yl]- (9CI) (CA INDEX NAME)




PAGE 1-B



RN 676523-97-0 CAPLUS  
CN 1H-Indole-2,5-dicarboxamide, N5-[2-[(aminoiminomethyl)amino]ethyl]-N2-[2-[[[2-[(aminoiminomethyl)amino]ethyl]amino]carbonyl]-1H-indol-5-yl]- (CA INDEX NAME)




PAGE 1-B




RN 676524-04-2 CAPLUS  
 CN 1H-Indole-2,5-dicarboxamide,  
 N5-[2-[[[bis(methylamino)methylene]amino]ethyl  
 ]-N2-[2-[[[2-[[[bis(methylamino)methylene]amino]ethyl]amino]carbonyl]-1H-  
 indol-5-yl]-, dihydrochloride (9CI) (CA INDEX NAME)






RN 676524-65-5 CAPLUS  
 CN 1H-Indole-2,5-dicarboxamide, N5-[2-[(aminoiminomethyl)amino]ethyl]-N2-[2-[[[2-[(cyanoamino)iminomethyl]amino]ethyl]amino]carbonyl]-1H-indol-6-yl]- (9CI) (CA INDEX NAME)





RN 676524-82-6 CAPLUS  
 CN 1H-Indole-2,5-dicarboxamide, N2-[2-[(aminoiminomethyl)amino]ethyl]-N5-[2-[[[2-[(aminoiminomethyl)amino]ethyl]amino]carbonyl]-1H-indol-5-yl]- (9CI) (CA INDEX NAME)




CN 1H-Indole-2,5-dicarboxamide,  
 N5-[2-[[[2-[(cyanoamino)iminomethyl]amino]ethyl]-

N2-[2-[[[2-[[[2-[(cyanoamino)iminomethyl]amino]ethyl]amino]carbonyl]-1H-indol-6-yl]- (9CI) (CA INDEX NAME)




IT 676523-86-7P 676523-93-6P 676524-60-0P  
 RL: SPN (Synthetic preparation); PREP (Preparation)  
 (preparation of indole-2,5-dicarboxylate (indolyl)amide  
 (guanidinoalkyl)amides as  
 antibacterial or antifungal agents)

RN 676523-86-7 CAPLUS  
 CN 1,4-Benzenedicarboxamide,  
 N-[2-[(aminoiminomethyl)amino]ethyl]-N'-[2-[[[2-[(aminoiminomethyl)amino]ethyl]amino]carbonyl]-1H-indol-7-yl]- (9CI) (CA INDEX NAME)



RN 676523-93-6 CAPLUS  
 CN 1H-Indole-2,5-dicarboxamide, N5-[2-[(aminoiminomethyl)amino]ethyl]-N2-[2-[[[2-[(aminoiminomethyl)amino]ethyl]amino]carbonyl]-1H-indol-7-yl]- (9CI) (CA INDEX NAME)



RN 676524-60-0 CAPLUS

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	6.49	174.52
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-0.75	-0.75

STN INTERNATIONAL LOGOFF AT 08:20:11 ON 24 JAN 2006